

Table of Contents

The sun	2
The process of tanning	2
Protecting the eyes	3
Exposure time and schedules.....	3
Minimum use distances	3
Cleaning the sunbed and sunroof	4
Repairs	4
Recommended parts replacements.....	4
Assembly	5
Maintenance	6
Removing Acrylic Shield	6
Lamp Replacement	6
Starter Replacement.....	7
Installing Remote Control	7
Trouble shooting.....	Error! Bookmark not defined.

Congratulations! You are the owner of the finest tanning equipment on the market. Be assured that the TanScene by **puretan** is manufactured with care using the best materials, components and craftsmanship possible.

In order to receive maximum benefit from your TanScene sun system please read and understand this manual thoroughly.

The sun

The sun is the source of all energy on earth. It provides us with light which enables us to see and make plants grow. It emits infrared rays, which we experience as warmth. A third form of solar energy is less noticeable, but equally important for our well being; ultraviolet radiation. This electromagnetic radiation is divided into three bands:

long wave (uv-a)	400-321 nm
medium wave (uv-b)	320-261 nm
short wave (uv-c)	260-180 nm

Radiation in the short wave band provides a strong germicidal effect and lamps emitting uv-c are used for air and liquid disinfection. Although the sun emits uv-c it is filtered out by the earth's ozone layer and therefore does not reach the earth. You will find no uv-c radiation emitted by your TanScene sun system. **puretan** tanning products use only ultraviolet radiation from the uv-b and uv-a regions for the cosmetic tanning process.

The process of tanning

The immediate tanning that occurs with exposure to ultraviolet radiation of wavelengths longer than 300 nm and extending into the visible blue region is the darkening of existing melanin. This melanin is formed in the skin under the influence of uv-b. This melanin moves through the cells at the surface of the skin, and there changes into pigment. The tan produced in this way is called "indirect tanning". Tanning under uv-b starts slowly, but the overall time to get a deep tan is shorter than with uv-a. With uv-b the skin goes through a stage of reddening called "sunburn" or erythema. Uv-a causes direct tanning. Direct tanning starts immediately but takes longer to obtain an attractive tan. The lamps in your TanScene use a combination of uv-b and uv-a in the exact proportions, based upon recommended exposure time, to give your skin the attractive, bronze tone you desire in a short period of time.

Protecting the eyes

Ultraviolet radiation in the uv-b and uv-a regions may cause eye damage. **puretan** therefore provides protective eyewear with each piece of tanning equipment and recommends their use during each tanning session. Use protective eyewear type Interexco Gironde 12, 3831 AB LEUDSEN, Cat. No. 5653/1S color green, or other quality, certified eyewear whenever the product is energized.

Exposure time and schedules

Control of exposure times is provided by means of a timer incorporated in the equipment. The maximum recommended exposure time of a tanning session is 15 minutes. **Turn the knob clockwise and set pointer to desired length of time. To terminate session turn the knob counter-clockwise until the unit shuts off.** During this time the use of the protective eyewear provided with your system is recommended. Following the recommended exposure times at the end of this section should produce results within one to four sessions.

Caution

The length of exposure in new equipment or in equipment recently refitted with new lamps should be reduced by 20% to limit the possibility of erythema. This reduction should remain in effect for a minimum of 50 hours from the time of installation.

Minimum use distances

The recommended exposure position for the TanScene is lying on the contoured acrylic surface of the sunbed, and under the acrylic surface of the sunroof in the closed position. The minimum use distance is limited by the acrylic surface of the sunbed and may be no less than 1.5" from the acrylic surface on the sunroof.

Exposure times for lamp types: **Puretan Spectralarium VHO/R+, or Cosmolux VHR and Puretan Spectralarium R+**

WEEK	1	1	1	2	2	2	3	3	3	4	4	4
SESSIONS	1	2	3	1	2	3	1	2	3	1	2	3
MIN. PER DAY	2	2	3	3	5	5	7	7	10	10	12	15

A spacing of 48 hours between exposures the first two weeks and a spacing of 24 hours between sequential exposures is recommended. It may take 1 to 4 exposures before the expected results appear.

If your TanScene is equipped with the optional facial cassette system:

Exposure times for lamp types: **CosmoTech 400R7s 23045**

WEEK	1	1	1	2	2	2	3	3	3	4	4	4
SESSIONS	1	2	3	1	2	3	1	2	3	1	2	3
MIN. PER DAY	2	2	3	3	5	5	7	7	10	10	12	15

A spacing of 48 hours between exposures the first two weeks and a spacing of 24 hours between sequential sessions is recommended. It may take 1 to 4 exposures before the expected results appear.

Cleaning the sunbed and sunroof

After each session is completed, spray the acrylic surface with **puretan** disinfectant anti-fungal cleanser made specially for tanning products. Do not use conventional cleaners containing alcohol, ammonia or astringents. Do not wipe acrylic surfaces with a dry cloth as the static charge formed will attract dust.

Caution

Always disconnect electricity before servicing or cleaning. Do not use excessive amounts of water, abrasive cleaners, or cleaners with warning labels regarding reactions to contact with the skin. Do not use products containing alcohol, ammonia or astringents.

Repairs

puretan International Inc., or your **puretan** distributor is capable of providing prompt and up to the minute service recommendations should your equipment require exceptional maintenance.

Recommended parts replacements

It is recommended that parts such as timers, protective eyewear and lamps be replaced with factory supplied parts obtainable through **puretan International Inc.**, 14848 Venture Dr., Dallas, Texas, 75234 (1-800-338-8267) or your **puretan** distributor or dealer. Only factory approved parts, when installed as instructed, insure continued compliance with CSA/NRTL standards.

Warning: The TanScene is designed for use by only one person at a time. Therefore only one pair of protective eyewear is provided.

Assembly

Each **puretan** TanScene sun system is tested at the factory before packaging to ensure trouble free operation.

Remove the sunbed unit from the carton marked "sunbed", or "couch" and lay it on carpet or similar surface (to prevent scratching) with the acrylic side down (see figure 1).

Locate the two lower leg plates (figure 1, "A") and secure to each end plate of the sunbed with 5 each $\frac{1}{4}$ " phillips machine screws and lock nuts through the clearance holes provided. Make sure the leg plates are mounted on the inside of the end plates as shown in figure 2. Locate the front frame brace (figure 2, "A"), and rear frame brace (figure 2, "B"), and secure to the lower leg plates with $\frac{1}{4}$ " phillips machine screws and lock nuts through the clearance holes provided as shown in figure 3. When the base is securely fastened, turn the unit over so that the acrylic side is up and the unit is standing on its base.

Carefully remove the sunroof from the carton marked "sunroof" and lay it on carpet or similar surface with the acrylic side down. Position the two foam "arches" (part of the packaging material) across the sunbed as in figure 4. Position the sunroof on the sunbed and align the holes in the hinge plates with the holes in the end plates and secure with three (each side) $\frac{3}{8}$ " bolts and black flat washers (figure 5).

Locate the gaspistons, and remove the metal retainers by twisting them out away from the socket, and then straight toward the center of the gaspiston for removal. Raise the sunroof and attach the gaspistons (cylinder end up) to the unit by tapping the sockets onto the balls with your hand or rubber hammer. Replace the retainers.

Remove the foam blocks, and the sunroof should easily open and close.

Connect the "umbilical cord" from the sunroof unit by inserting the female cord end connector into the male receptacle on the sunbed unit.

The power cord from the TanScene is to be connected to a dedicated **single phase** 40 amp breaker and "hard-wired" at the wall connection. If your system incorporates the "facial option", the power cord is to be connected to a dedicated single phase 50 amp breaker and "hard-wired" at the wall connection. **The optimum voltage is 228. Voltage of 218 is the extreme low and voltage of 230 the extreme high. Voltage output above or below this range will cause ineffective operation, and or damage to the sun system.** Your TanScene sun system is now ready to test by turning the timer knob on the right end plate clockwise.

*See instructions on page 7 for remote control installation.

Maintenance

It is recommended that every three (3) months due to heat expansion and contraction, wire connections are tested in the sun system units. **Disconnect power cord from wall receptacle** and remove the cover. Gently pull on wires at connections on ballasts, capacitors, terminal strips, relay and timer with a "needle nose" pliers. Test and tighten any loose connection screws with a small screwdriver.

Removing Acrylic Shield

Disconnect power cord from wall receptacle. To remove the acrylic shield for cleaning or lamp and starter replacement, follow these easy steps. Grasp the inside edge of the plastic acrylic hold down strips and carefully "peel" them off of the profile extrusion. Use a thin blade screwdriver or knife blade to start one edge of the shield out of the groove, and carefully remove the shield for access to your lamps and starters.

Lamp Replacement

Disconnect power cord from wall receptacle. Remove the acrylic shield as described above. Next, remove the reflective end covers by carefully pulling the ends out of the grooves in which they are installed. The end covers are made from a very thin material by design, so that they are pliable for easy removal. Be careful not to bend the metal to the point that it "creases". The lamps and starters are now exposed for replacement or cleaning. Before the removal of a lamp, please make the following observation of the lamp holders. The lampholders on the left side of the sunbed (as you stand in front of the sun system), have spring loaded telescopic sockets, and the lampholders on the right are stationary. Please note that on the sunroof, just the opposite is true. To remove a lamp, carefully hold the lamp with both hands, and press toward the spring loaded lampholder. When the spring loaded socket recedes and the tip on the opposite end of the lamp clears the stationary lampholder, pull up and remove.

When replacement of a facial lamp is necessary, it is recommended that the cassette be removed and forwarded to the manufacturer for proper lamp replacement. Before proceeding, please call **puretan International, Inc.** technical support for instructions and procedures. **Terminate power to the system.** Removal of the facial cassette requires access from the top of the sunroof unit. Carefully remove the cover panel and the four screws on the right end plate which secure the cassette. Carefully detach wire connections and forward cassette to **puretan International, Inc.** as instructed.

Starter Replacement

The starters are located behind the row of stationary lampholders; to the far right side on the sunbed and to the far left on the sunroof. To remove a starter from its holder, carefully twist counter-clockwise until the "click" is felt and remove. To reinstall, insert the connectors into the largest opening on the holder, and twist clockwise until locked in place.

Installing Remote Control

To install your **puretan** remote control timer to the TanScene, proceed with the following steps.

Remove the wire nut which connects the black and red wires (in the future the wires will be the same color) of the remote control "pigtail" together and separate the wires. Splice sixteen (16) gauge two conductor cable between the sun system and the remote control monitor.

WARNING - Incorrect connections will cause permanent damage to the internal components of the electrical system. This will not be the responsibility of puretan, or its vendors. The most common application is speaker wire. Attach the wires to the applicable terminals depending upon the remote monitor you are using. Be certain that your connections are tight, and that the correct wire colors are matched.

Trouble shooting

Sun system will not operate:

1. Is power cord connected to wall receptacle?
2. Is remote control installed properly? If you are not using remote control monitors; are the black and red wires connected together with the blue wire nut on the remote control pigtail?
3. Is the timer in operational position?
4. Is circuit breaker "on"? Is there proper voltage to the wall receptacle?
5. Are the umbilical cord plug ends connected properly as discussed in the "assembly section"?
7. If "yes" to all of the above, call **puretan, Intl. Inc.** technical support.

Any lamps not working: **Disconnect power cord from wall receptacle**, and remove the acrylic shield as previously discussed.

1. Remove unlit lamp(s) and replace with a lamp which is lighting. Test by activating the system. If lamp lights, discard the defective lamp and replace with a new one. If not, go on to #2.
2. Remove starter for unlit lamp. Replace with a new starter, or a starter next to a lamp which is lighting. Test by activating system. If lamp lights, discard defective starter and replace with a new one. If lamp still will not light, go on to #3.
3. Remove cover from the sunroof by inserting a small screwdriver in an exhaust slot at the top center of the end plate and under the cover. Push up and pull the cover up and out of its retaining slots along the long edges. If the unlit lamp(s) are in the sunbed, remove the bottom cover as described above.
4. Check connections to lampholders and starter holders for loose wires by pulling on each connection where inserted. Also check for burned ends or physical damage. If no loose wires or damage is detected, go on to #5.
5. Check corresponding ballast connections of non-lighting lamps by gently pulling on the wires where they insert into the plastic connectors. If any wires are loose, push into connector and test. If no loose wires are detected, check the capacitor connection for the corresponding non-lighting lamps. If no loose wires are detected, install a "jumper wire" between the two connections on the capacitor cap and retest.

If the lamp lights, replace the capacitor. Make certain to insert the wires in exactly the same terminals. If the lamp still does not light, **remove the "jumper wire"** and go on to #6.

6. Replace the corresponding ballast of non-lighting lamps. Start by inserting a straightened paper clip or very small screwdriver into the slot directly above the wire, push in and simultaneously pull wire out of connector. Remove the two hold down nuts at either end of ballast and replace. To reconnect wires in new ballast, gently push into appropriate position in ballast connector. Test the system. If lamp(s) still will not light, consult **puretan, Intl. Inc.** technical support.

Sun system will not terminate operation:

1. Remove remote blue wire nut from the remote control "pigtail" on rear of sunroof and separate the black and red wires. If system discontinues operation, go to 2. If system continues to operate, **disconnect power cord from wall receptacle.** Remove sunroof cover. Locate relay and replace by first removing the two retainer screws. Change connectors at each terminal separately and install directly to replacement relay's corresponding terminals. It is important to reconnect the connectors to exactly the same terminals. If sun system still operates improperly, consult **puretan, Intl. Inc.** technical support.

2. **Disconnect power cord from wall receptacle.** Remove sunroof cover. Locate timer and replace by removing the two retaining screws. Pull connectors from each terminal separately and install directly to replacement timer's corresponding terminals. It is important to reconnect the connectors to exactly the same terminals. Re-install timer and test. If sun system still operates improperly, consult **puretan, Intl. Inc.** technical support.

