





30321-01, REV A
442-3F TIMER BOX


BED
FRONT

BED
BACK



30322-01, REV A
442-3F FOOT END
BODY COOLING
FAN OPTIONS


LED'S AND LED CIRCUIT AND COMPONENTS ARE OPTIONAL




30322-01, REV A
442-3F SKIRT

FOOT
END

LED'S AND LED CIRCUIT AND COMONUNTS ARE OPTIONAL





30323-01, REV A



442-3F BENCH

<---HEAD END

FOOT END-->

LAMP HOLDER
INTERNALLY SHUNTED W/O SPRING
29590-01 (14)



LAMP HOLDER
INTERNALLY SHUNTED W/SPRING
29592-01 (14)



MAIN TIMER BOARD WITH THE
AUDIO BOARD OPTION

30324-01, REV A
442-3F TIMER
PCB

MAIN TIMER BOARD WITHOUT
THE AUDIO BOARD OPTION







F1 = 10A/250VAC
5x20mm FUSE



J2 = USB THUMB DRIVE
JACK

30324-01, REV A 442-3F TIMER PCB HEADERS

MAIN TIMER BOARD HEADERS




30325-01, REV A
442-3F CONTACTOR BOX

FOOT END

FRONT OF BED


BACK OF BED



30325-01, REV A
442-3F TIMER BOX
FOOT END

FRONT OF BED

BACK OF BED




RJ-45 TO
RJ-45
FEED THROUGH
PCB

HEAD END-->



30326-01,
REV A

442-3F SECTION OF THE BACK PANEL



30327-01, REV A
442-3F WHOLE
AUDIO SYSTEM
OPTIONS

